2012 JUL -2 AM 9: 50

BUREAU OF PUBLIC WATER SUPPLY

CALENDAR YEAR 2011 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

300みで 1300名1 1300名4 1300名3 List PWS ID #s for all Water Systems Covered by this CCR

The Federal Safe Drinking Water Act requires each community public water system to develop and distribute a consumer

130004

confide must be	nce report (CCR mailed to the cu) to its customers each year. De istomers, published in a newspap	pending on the population s er of local circulation, or pr	served by the public water system, this rovided to the customers upon request.	CCR
Please.	Answer the Follo	owing Questions Regarding the	Consumer Confidence Rep	ort	
\propto	Customers were	e informed of availability of CCF	R by: (Attach copy of public	ation, water bill or other)	
	8	Advertisement in local paper On water bills Other			
	Date custome	rs were informed: <u>6 /30/</u>	12		
	CCR was dist	ributed by mail or other dire	ct delivery. Specify othe	r direct delivery methods:	
	Date Mailed/Di	stributed://_			
\propto		shed in local newspaper. (Attach		proof of publication)	
	Name of News	paper: Daily Time	s leaders		
	Date Published:	paper: Daily Time.			
	CCR was poste	d in public places. (Attach list of	locations)		
	Date Posted:	1 1			
	CCR was poste	d on a publicly accessible interne	et site at the address: www		
CERT	<u>IFICATION</u>				
consiste	ent with the war	onsumer confidence report (CCI lentified above. I further certify ter quality monitoring data pro sureau of Public Water Supply.	R) has been distributed to the that the information incluvided to the public water	he customers of this public water systemed in this CCR is true and correct a system officials by the Mississippi	em in and is State
Name/	My L. Title Aresident,	WWww. Mayor, Owner, etc.)		6-29-12 Date	

Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215 Phone: 601-576-7518

2011 Drinking Water Quality Report

Is my water safe?

Last year, as in years past, your tap water met all U.S. Environment Protection Agency (EPA) and Mississippi State Department of Health drinking water standards. This report is a snapshot of last years water quality. Included are details about where your water comes from, what it contains and how it compares to standards set by regulatory agencies. We are committed to providing the best information about the quality of your drinking water.

Do I need to take special precautions?

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly and infants can be particularly at risk for infections. These people should seek advice about drinking water from their health care providers. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by microbial contaminants are available from the Safe Drinking Water Hotline at 1-800-426-4791.

Where does my water come from?

Our water comes from 8 different wells that draw from the Eutaw, Gordo and McShan Aquifers.

Source water assessment and its availability:

Our source water assessment is available on request.

Why are there contaminants in my drinking water?

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791

How can I get involved?

Our board members meet the 2nd Monday of every month at 5:00 pm at the Siloam Water Office. Our annual meeting is the 1st Monday in April. The exact time and place will be printed on your water bill. This is a very important meeting and we encourage all of our members to attend.

Siloam Water Contact Information Willie Davenport – Certified Operator P.O. Box 224 West Point, Ms 39773 662-494-1852

Additional Information for Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Siloam Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have you water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available form the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10.00 per sample. Please contact 601-576-7582 if you wish to have your water tested.

****A Message From MSDH Concerning Radiological Sampling ****

In accordance with the Radionuclides Rule, all community public water supplies were required to sample quarterly for radionuclides beginning January 2007- December 2007. Your public water supply completed sampling by the scheduled deadline; however, during an audit of the Mississippi State Department of Health Radiological Health Laboratory, the Environmental Protection Agency (EPA) suspended analyses and reporting of radiological compliance samples and results until further notice. Although this was not the result of inaction by the public water supply, MSDH was required to issue a violation. This is to notify you that as of this date, your water system has not completed the monitoring requirements. The Bureau of Public Water Supply has taken action to ensure that your water system be returned to compliance by March 31, 2013. If you have any questions, please contact Melissa Parker, Deputy Director, Bureau of Public Water Supply, at 601-576-7518.

Monitoring and Reporting of Compliance Data Violations Significant Deficiencies

System Name and ID: Una-130023, Griffith-130015, Pine Bluff-130017

<u>During a sanitary survey conducted on 7/28/2011, the Mississippi State Department of Health cited the following significant deficiencies:</u>

Inadequate internal cleaning/maintenance of storage tanks

<u>Corrective actions:</u> These systems are currently under a Bilateral Compliance Agreement with the MSDH to correct this deficiency by 8/22/2012

Inorganic and Radioactive Contaminants

BARIUM

Well-PWS I	D#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I-	130016	2	2	0.02	No	May-11	Discharge of drilling waste and
Beasley II-	130025	2	2	0.03	No	May-11	metal refineries. Erosion of
Griffith-	130015	2	2	0.03	No	May-11	natural deposits.
Gates-	130021	2	2	0.02	No	May-11	
Ivy Village-	130004	2	2	0.03	No	May-11	
Muldon-	130024	2	2	0.06	No	May-11	
Pine Bluff-	130017	2	2	0.07	No	May-11	
Una-	130023	2	2	0.04	No	May-11	

FLOURIDE

Well-PWS I	D#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I-	130016	4	4	1.06	No	May-11	Erosion of natural deposits.
Beasley II-	130025	4	4	0.72	No	May-11	Additive which promotes strong
Griffith-	130015	4	4	0.61	No	May-11	teeth. Discharge from fertilizer.
Gates-	130021	4	4	0.88	No	May-11	,
lvy Village-	130004	4	4	0.83	No	May-11	
Muldon-	130024	4	4	0.40	No	May-11	
Pine Bluff-	130017	4	4	0.10	No	May-11	
Una-	130023	4	4	0.30	No	May-11	

LEAD

Well-PWS I	D#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I-	130016	0	15	0.002	No	Jul-08	Corrosion of household plumbing
Beasley II-	130025	0	15	0.001	No	Jul-08	systems. Erosion of natural
Griffith-	130015	0	15	0.002	No	Jul-07	deposits.
Gates-	130021	0	15	0.003	No	Jul-07	
lvy Village-	130004	0	15	0.002	No	Jul-08	
Muldon-	130024	0	15	0.001	No	Jul-08	
Pine Bluff-	130017	0	15	0.002	No	Jul-07	
Una-	130023	0	15	0.003	No	Jul-08	

COPPER

Well-PWS I	D#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I-	130016	1.3	1.3	0.60	No	Jul-08	Corrosion of household plumbing
Beasley II-	130025	1.3	1.3	0.70	No	Jul-08	systems. Erosion of natural
Griffith-	130015	1.3	1.3	0.10	No	Jul-07	deposits.
Gates-	130021	1.3	1.3	0.10	No	Jul-07	
Ivy Village-	130004	1.3	1.3	0.00	No	Jul-08	
Muldon-	130024	1.3	1.3	0.46	No	Jul-08	
Pine Bluff-	130017	1.3	1.3	0.30	No	Jul-07	
Una-	130023	1.3	1.3	0.30	No	Jul-08	

CYANIDE

Well-PWS I	D#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I-	130016	0.2	0.2	0.01	No	Aug-11	Discharge from steel/metal factories.
Beasley II-	130025	0.2	0.2	0.01	No	Aug-11	Discharge from plastic and fertilizer
Griffith-	130015	0.2	0.2	0.01	No	Jun-11	factories.
Gates-	130021	0.2	0.2	0.01	No	Aug-11	
lvy Village-	130004	0.2	0.2	0.01	No	Aug-11	
Muldon-	130024	0.2	0.2	0.01	No	Aug-11	
Pine Bluff-	130017	0.2	0.2	0.01	No	Aug-11	
Una-	130023	0.2	0.2	0.01	No	Aug-11	

NITRATE/NITRATE

Well-PWS I	D#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I-	130016	10	10	0.1	No	Jan-11	Runoff from fertilizer use; leaching
Beasley II-	130025	10	10	0.1	No	Jan-11	from septic tanks and sewage.
Griffith-	130015	10	10	0.1	No	Jan-11	Erosion of natural deposits.
Gates-	130021	10	10	0.1	No	Oct-11	
lvy Village-	130004	10	10	0.1	No	Jan-11	
Muldon-	130024	10	10	0.1	No	Jan-11	
Pine Bluff-	130017	10	10	0.1	No	Jan-11	
Una-	130023	10	10	0.1	No	Jan-11	

HALOACETIC ACID HAA5

Well-PWS I	D#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I-	130016	0.06	0.06	0.02	No	Aug-11	Disinfection Bi-product
Beasley II-	130025	0.06	0.06	0.06	No	Jun-11	·
Griffith-	130015	0.06	0.06	0.06	No	Jun-11	
Gates-	130021	0.06	0.06	0.01	No	Aug-11	
lvy Village-	130004	0.06	0.06	0.06	No	Aug-11	
Muldon-	130024	0.06	0.06	0.06	No	Aug-11	
Pine Bluff-	130017	0.06	0.06	0.06	No	Aug-11	
Una-	130023	0.06	0.06	0.06	No	Aug-11	

TRIHALOMETHANE TTHM

Well-PWS I	D#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I-	130016	0.08	0.08	0.04	No	Aug-11	Disinfection Bi-product
Beasley II-	130025	0.08	0.08	0.04	No	Aug-11	·
Griffith-	130015	0.08	0.08	0.04	No	Jun-11	
Gates-	130021	0.08	0.08	0.04	No	Aug-11	
lvy Village-	130004	0.08	0.08	0.04	No	Aug-11	
Muldon-	130024	0.08	0.08	0.04	No	Aug-11	
Pine Bluff-	130017	0.08	0.08	0.04	No	Aug-11	
Una-	130023	0.08	0.08	0.01	No	Aug-11	

ALPHA EMITTERS

Well-PWS I	D#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I-	130016	15	15	2.99	No	Nov-11	Erosion of natural deposits.
Ivy Village-	130004	15	15	2.97	No	Nov-11	
Muldon-	130024	15	15	2.92	No	Nov-11	

URANIUM

Well-PWS I	D#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I-	130016	5	5	0.06	No	Nov-11	Erosion of natural deposits.
Ivy Village-	130004	5	5	0.06	No	Nov-11	·
Muldon-	130024	5	5	0.06	No	Nov-11	

RADIUM

Well-PWS I	D#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I-	130016	5	5	0.70	No	Nov-11	Erosion of natural deposits.
Ivy Village-	130004	5	5	0.79	No	Nov-11	
Muldon-	130024	5	5	0.48	No	Nov-11	

Chlorine-

Well- PWS	ID#	MCLG	MCL	Your Water	Low	High	Sample Date	Violation	Typical Source
Beasley I-	130016	4	4	0.10	0.10	0.10	2011	N	Water additive used
Beasley II-	130025	4	4	0.20	0.20	0.20	2011	N	to control microbes.
Griffith-	130015	4	4	0.15	0.15	0.15	2011	N	There is convincing
Gates-	130021	4	4	0.15	0.10	0.20	2011	N	evidence that addition
Ivy Village-	130004	4	4	0.10	0.10	0.10	2011	N	of a disenfectant is
Muldon-	130024	4	4	0.20	0.20	0.20	2011	N	necessary for control
Pine Bluff-	130017	4	4	0.10	0.10	0.10	2011	N	of microbial
Una-	130023	4	4	0.10	0.10	0.10	2011	N	contaminants.

Term	Definition
ppm	parts per million, or milligrams per liter (mg/l)
ppb	parts per billion, or micrograms per liter (ug/l)
MCL-Maximum Contaminant Level	The highest level of a contaminant that is allowed in
	drinking water. MCLs are set as close to the MCLGs
	as feasible using the best available treatment technology
MCLG-Maximum Contaminant Level Goal	The level of a contaminant in drinking water below which
	there is no known or expected risk to health. MCLGs
	allow for a margin of safety.
TT-Treatment Technique	A required process intended to reduce the level of a
·	contaminant in drinking water.
AL-Action Level	The concentration of a contaminant which, if exceeded,
	triggers treatment or other requirements which a water
	system must follow.
MRDLG-Maximum Residual	The level of a drinking water disinfectant below which
Disinfection Level Goal	there is no known or expected risk to health. MCLGs do
	not reflect the benefits of the use of disinfectants to
	control microbial contaminants.
MRDL-Maximum Residual	The highest level of a disinfectant allowed in drinking
Disinfection Level	water. There is convincing evidence that addition of a
	disinfectant is necessary for control of microbial
	contaminants.

'Any Man'

(Old Man where you Oh, enemy you must know where you going... that I am on the edge of my myself. (Old Man where you

myself. (Old Man where you going...where you make I am on the edge of my overflow.

For you also know that the discose at hand,
stou are doing all you can to come in going to going... for the word of God, I will use as my word.

For I have hidden it in my your will.
For I say no to the spirit that your have your will.
For I say no to the spirit that your word and do just what it has to the going worflow. Man, has learned to read your word and do just what it has to say. "Any Man" is a man of God, a man of valled, a man of God, a man of valled, a man after God's own heat. For of his strength for he now lives in the power of God's wight. (AMEN) Any Man... is the sweets man I know for his heart is fixed on and in the Lord... Any Man... Is Me. Any Man lives in the "overflow". He drinks from the saucer of the cup mentioned in Psalms 23. (Yep, Read)

Any Man...(Thank you, my sister in Christ...through the

Any Man...(Thank you, my sister in Christ...through the love of God)...has been blessed to touch someone's heart along the way.

My Place...I'm Back

continued from page 3

thee.
It has been a minute, it has

I denied...
I was rejected...
But now...
I don't...
I have faith...
I am alive...
I am redeemed...
I am vistorii

I am victory...
I am who I am (Any Man)
in Christ as the Holy Spirit keeps me...

unanimously approved the single newspaper operating receive one share of common for News Corp. as a whole of Act, which punishes compare phones and obtribed public officient will need to review a omore formal proposal on the matter. The deal is also subject to shareholder and regulatory approvals. News Corp. as a whole of the Australian newspaper that he hierarchic of the shareholder and regulatory approvals. News Corp. as a whole of the Australian newspaper that he became the foundation of the Australian newspaper that he became th

the are there contempores to my drinking water?

Signed Water Control Information Willia Savengor - Central Operator P.O. Box 724 West Print No. 33773 Sep. 454 297

If present elevated levels of lead o progress weren and young childs and components streethed with a

During a section representant and ICASSIII, the Mississippi State Dec Health sized the Collection significant de finitesian.

(em	Definition
507	coots our metice, or metionant a out ther troots
SSD	iports per before or memograms per than top?
MCL Maximum Conference Lines	The highest level of a contribution field in although
1. 16.	grang water MCEs are set as plose to the MCLOS
the state of the s	as hearth using the best enabled treatment technology
SCLO-Vauren Comproprié Level Dont	The level of a contaminant in drinking water being which
	there is no known or expected risk to heath. MCLOs:
	alide for a mergin of safety
IFT Treatment Technique	A vegoprod process intended to reduce the fevil of a
The first National Street, 1994, 300	ppostaminant in drinking water
K-Witon Literal	The procentration of a contemporary which if endeaded.
A CARLON AND A STATE OF THE SAME	Interest insultant or other requirements which a water
I the state of the same of the same	Insternment blow.
OFFICE PARTITION PRINTERS	The feet of a creamy wear darfester below when
Dechster Level God	from its no service or property risk to health MCU74 #4
	year metact the benefits of the one of electrostations to
* Contract the contract to a contract to the contract to th	core's richook outproverte
VSCS Varient Retrief	The hopest level of a development adquest in thicking
Derriesting Level	leater. There is continging evidence that addition of a

l on	abroad				- 114 A	en	
rganic are	Redication	e Contem	-20	12 JUL -	2 AH 9	90	
ROW							
A P VS IO	, Juc	LG YCE	You	Water Violation	Serrole Date	ypical Source Hychorge of draking	waste 6/10
asioy II.	30010		2	0.03/10	1/ay-11	hischarge of driving nelpi (seferedos, Eror satural deposita	ion of
Men-	20015	21	2	0.03 No	May-11	stural deposits	Description of the
105	130004	2)	2	0.03 No	May-11 May-11		
	130004	2	2 2	Q 06 H2	1 May-111		
on Bods	130017	2	21 335		May,11		
3	50023	3	2	0.04 No	Usy.!1		
BOSTOL					3.0		
ASSESS O	4 (00)	cio juci	You	Water Victorion	Sample Date	Typical Source Erosion of natural of	
easiey !	130013	200	4	1.06 No 0.72 No	May-11	Additive which srom	olea strong
*25/4Y 5**	120025	4	4-		May-11	ment Descharge from	n fortales.
edfer.	130021	4	4	g taitio	May 11		
VISSOR :	130004	10.4	4	0 83 No 0.40 No	May-11 May-11		
hadon	130074	4	4	0.40 No			40 144 146
	130017	4	4	0.30 No	V.sy-11		
10000		3557 5754	0.000				
EAD		ero fuer	(You	Water Violetice	Sarrole Date	Typical Source Contraion of Irounal	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1
ves FV/3 ID	130016	0	151	0.002 No	33/05	Contains of house	note plumbing
Seasing B.	130025	0	15	0.001 No	34.00	eyetems. Erosion of deposits	190-2
27.5	130015	0	15	0.002 No 0.003 No	36-07	TV SAME	
	1300021	- 8	15	0.0033335	in lease in Me Co		
A/don-	130024	. 0	15		2404		
Aldon Ine Blyfi	100017	9	15	0.002 No 0.003 No	10-UC 80-US		
J. Sa.	130023	- 91	101		9.00		THE CHANGE
COPPER		1500		880) (SALSE) (SA		Trace Source	CALL TO CHARLES AND A SALE
Wespws #	D# (1)	KCL3 INC	13	yyatar Viciatio	n juentpie UMS	Typical Source Competer of Nouse	prid peutolog
Sease/fr	130015 130025	1.3	13	0.70 No	5,4.00	eysteins Erosion s	(necure)
Beasley III. Griffith	130015	1.24	1.3	0.10 No	3407	OPDOSIES.	
Gent	130021	13	13	9.10 No 0.00 No	3407 3405	100000000000000000000000000000000000000	
by Village	130004	1.3	13	0.45(%)	1 14-02	6.5	
Muldon Fine Bluff	130017	11.13	1.3	0 45 No 0 50 No 0 30 No	A+01		
ulca-	130023	1.31	1.3	6.20[No	A#-01		
CYANIDE					in a value of		36 (10 10 10 10 10 10 10 10 10 10 10 10 10
WM-PWS1		vcie ju	L Yo	yr Water Violant	on Somete Date	Discharge from sh	ACTUAL INSPIRE
Beasley 1.	1,00015	0.2	0.2	0.01 No	Abg-1	Discharge from \$4	sic and fartifular
Branky 12	130015	0.5	0.2	90100	Jun-1	fectories:	
Gretos	120021	02	021	G 01 No.	Aug-1	1	
Dry Ydege-	150004		03	0.01/165	Aug-1 Aug-1	La Maria	
Wildon-	130024	0.2	02	0.01 No			
Pre Blutt	130023	9.2	0.2	0.01 (4)	A92-3	<u> </u>	
		87116			. was 125 <u>225</u>		
COURTED TO	E-0	wato N	10	A Main Australia	n (figmes Date	Typecal Security Runnel Boon fer Austr from seption tanks ar Zenson of Fahrell G	Vic teached
Seasony D.	130025	16		0.1 No	Jan 11	from segge tanks at	d sewage.
	130019	101	101	0.1140	3an-11	Eredon or resures o	
Owen-	130019 130019 130019 130001 130004	10 10	12	01/42	Oct-11 Jan-11 Jan-11 Jan-11	1.0	1
Pine Dive	130777	10	100	0.1160	e (tempe (time	3,575, 575	- 1
EU-A	1200757		(0)	0 10+0		L	
HALDACE Trestro	FIC ACIO	MAAX	EL IV	oa Water (Vedad)	on Sarrole Date	Typical Source	
		000	0.00	0.00040	Aug 1	Chintecton 8) pro-	h.et
Compr.	150025	1 88	0.00	200 160	1 (2)	1	
Chamber II.	150016 130021 130004	000	0.00	0 01 No	A 100 1	Harrier Co.	
		MAAX MCIG N 000 000 000 000 000 000 000	鳡	9 CD P40 9 CD No 9 CD No	Sarrose Date Aug. Aug. Aug. Aug. Aug. Aug. Aug. Aug.	la viviani	
Pro Bratt		88	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0.00 No		il	
Track.	130913 SEETHANN 1 100 1 33013 1 34074 1 36015	22110		18968990000			
(Heart)	I IDO	000 000 000 000 000	ici.	our Water Vices	Sign Sample Cota Aug.) Aug. Aug. Aug. Aug.	Typical Bource	doet
Systems 1	120023	0 00	0 08 0 08	0.04960	Aca	1	
d-m-	130015	005	0.05	0 04 Ho	Ave.	4	
7 V488	190004	9.00	<u>6</u>	0.01 No	Aga	3	
222	130024	9.08 9.09 9.04 9.04	000 000 000	0.04 No 0.04 No 0.04 No 0.01 No	500 Sample Osta 600 500 500 600 600 600 600 600 600 600	1	
CE:	530023	1 0001	0.00]	0.01(160		31	
ALPHA	EMITTERS	turia 9	oci T	our women Twick	don (Barrela rusa	Thomas Source	
Danaday I	150015 - 150004		19	3.22 (4)	How- Nov-	Typinal Source	deposite
100000	13000t	1 1	12	2 00 No. 2 00 No. 2 00 No.		1	
		12.676			ana an india	589 S. AFF S	64 S. S.
Wester	5 (S)	Valo 3	35 1	1000 Wells Vind 4 de No 0 QA No	con Sareda Data	Typical Source	AREAUTY.
201 Ven		1 3	- 3	0.04,849	Harr Harr Men	22	
the John	130024	13	- 6	0.00 100	Nov.	113	
RADIUS	Million of the	4-30	100			TWO IS NOT	
RADIUS (Vol. PV Seavior (C), VSA	U 13001A	65.00	MCL S	O 70, He	Plor	13 Erosion of care	deposits.
Jay William	130016 130016 130001	1	- 5	0.72 Pho	Parye	Tipod Sorta 11 Ensue d'en-ri 11	
fermoni							
Chlorine				rou West Lon	[High] \$	rrigia Date Violation 2011/14 2011 H	Typical Source
Peasing t	DA VC	LG MC	-	0.10	0 10 0 10 0 20 0 20	201104	22 control microbes
Beasing I Beasing to Getties	155225	4	. 4	0.10 0.20 0.15	0.20 0.20 0.15 0.15		
Gerrie-	120015		41	0.131	- 12 × 125	2011 N	ensence that exciso

ACCOUNT NO. SERVICE FROM SERVICE TO

SERVICE ADDRESS

ME CURRENT	TER READINGS PREVIOUS	USED
6048	6024	24

CHARGE FOR SERVICES

20.00 WTR 20.00 MET DUE >>> 4.00 SAVE THIS >> 24..00 GROSS DUE >>

RETURN THIS STUB-WITH PAYMED TO:
FOR SILOAM WATER ASSOCIATION
P.O. BOX 2240773

2017 111 WEST HANTS IN 30773

PRESORTED FIRST-CLASS MAIL U.S. POSTAGE PAID PERMIT NO. 26 WEST POINT, MS

2017 JUL -- Z PAY NET AMOUNT ON OR BEFORE DUE DATE PAY GROSS AMOUNT AFTER DUE DATE DUE DATE 07/15/2018 GROSS AMOUNT SAVE THIS NET AMOUNT 24.00 4.00 20.00

OFFICE CLOSED 7/4. CCR AVAIL IN OFFICE, WILL NOT BE MAILED

RETURN SERVICE REQUESTED

13-1302400 WILLIE DAVENPORT

13425 CUMMINGS CEDARBLUFF MS 39741